

# Front attachment matrix.

Front attachment	LEXION 700					LEXION 600					TUCANO 500			TUCANO 400				TUCANO 300		AVERO		DOMINATOR
	780	770	760	750	740	670	660	650	630	620	580	570	560	450	440	430	420	340	320	240	160	130
<b>CERIO cutterbars</b>																						
CERIO 930	■	■	■	■	■	■	■	□			■	■	■	■								
CERIO 770	■	■	■	■	■	■	■		□	□	■	■	■	■	■	■	□	□				
CERIO 680							■	■		■	■	■	■	■	■	■	■	■	□	□		
CERIO 620										■	■	■	■	■	■	■	■	■	■	□	□	
CERIO 560										■	■	■	■	■	■	■	■	■	■	■	■	
<b>Standard cutterbars</b>																						
C 490													□	□	■	■	■	■	■	■	■	
C 450																						■
C 430															□	□	□	■	■	■	■	
C 420																						■
C 370																	□	□	■	■		
<b>VARIO cutterbars</b>																						
VARIO 1230	■ <sup>1</sup>	■ <sup>1</sup>	■ <sup>1</sup>	■ <sup>1</sup>		□ <sup>1</sup>																
VARIO 1080	■	■	■	■	■	□	□	□														
VARIO 930	■	■	■	■	■	■	■	□			■	■	■	■	■							
VARIO 770	■	■	■	■	■	■	■		□	□	■	■	■	■	■	■	□	□	□			
VARIO 680							■	■		■	■	■	■	■	■	■	■	■	■			
VARIO 620										■	■	■	■	■	■	■	■	■	■	□		
VARIO 560										■	■	■	■	■	■	■	■	■	■	■	■	
VARIO 500													■	■	■	■	■	■	■	■	■	
<b>MAXFLEX cutterbars</b>																						
MAXFLEX 1200	■ <sup>1</sup>	■ <sup>1</sup>	■ <sup>1</sup>	■ <sup>1</sup>		□ <sup>1</sup>																
MAXFLEX 1050	■	■	■	■	■	■	■	■														
MAXFLEX 930	■	■	■	■	■	■	■	■			■	■	■	■	■							
MAXFLEX 770	□	□	□	□	□	■	■	■	□	□	■	■	■	■	■	■	□	□	□			
MAXFLEX 620						□	□	□	■	■	■	■	■	■	■	■	■	■	■			
MAXFLEX 560						□	□	□	■	■		■	■	■	■	■	■	■	■			
<b>CONVIO FLEX cutterbars</b>																						
CONVIO FLEX 1230	■ <sup>1</sup>	■ <sup>1</sup>																				
CONVIO FLEX 1080	■	■	■	■		■	■															
<b>CONVIO cutterbars</b>																						
CONVIO 1230	■ <sup>1</sup>	■ <sup>1</sup>																				
CONVIO 1080	■	■	■	■		■	■															
<b>Folding cutterbars</b>																						
C 540						□	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
C 450						□	□	■	■	□	□	□	■	■	■	■	■	■	■	■	■	

■ Recommended □ Not recommended  
<sup>1</sup> TERRA TRAC only  
<sup>2</sup> Not approved for LEXION MONTANA

Front attachment	LEXION 700					LEXION 600					TUCANO 500			TUCANO 400				TUCANO 300		AVERO		DOMINATOR	
	780	770	760	750	740	670	660	650	630	620	580	570	560	450	440	430	420	340	320	240	160	130	
<b>CORIO 12-row</b>																							
CORIO 1275 C CONSPEED	■	■	■ <sup>2</sup>	■ <sup>2</sup>	■																		
CORIO 1270 C CONSPEED	■	■	■ <sup>2</sup>	■ <sup>2</sup>	■																		
<b>CORIO 8-row unit</b>																							
CORIO 890 CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 880 FC CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 880 FC	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 875 C CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 875 FC CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 875 C	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 875 FC	■	■	■	■	■	■ <sup>2</sup>	■	■	■	□	■	■	■	■	■								
CORIO 870 C CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■								
CORIO 870 FC CONSPEED	■	■	■	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■								
CORIO 870 C	■	■	■	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■								
CORIO 870 FC	■	■	■	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■								
<b>CORIO 6-row unit</b>																							
CORIO 690 CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 680 FC CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 680 FC						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 675 C CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 675 FC CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 675 C						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 675 FC						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 670 C CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 670 FC CONSPEED						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 670 C						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
CORIO 670 FC						■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
<b>CORIO 5-row unit</b>																							
CORIO 575 C																				□	□	■	■
CORIO 570 C																				□	□	■	■
<b>CORIO 4-row unit</b>																							
CORIO 475 C																						■	■
CORIO 470 C																						■	■
CORIO 475 C <sup>1</sup>																							■
CORIO 470 C <sup>1</sup>																							■
<b>SWATH UP</b>																							
SWATH UP 450	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
<b>SUNSPEED</b>																							
SUNSPEED 16-70	■	■	■ <sup>2</sup>	■ <sup>2</sup>	■	■ <sup>2</sup>	■	■															
SUNSPEED 12-75	■	■	■ <sup>2</sup>	■ <sup>2</sup>	■	■ <sup>2</sup>	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■		
SUNSPEED 12-70	■	■	■ <sup>2</sup>	■ <sup>2</sup>	■	■ <sup>2</sup>	■	■	■ <sup>2</sup>	■	■	■	■	■	■	■	■	■	■	■	■		
SUNSPEED 8-75												■	■	■	■	■	■	■	■	■	■	■	
SUNSPEED 8-70												■	■	■	■	■	■	■	■	■	■	■	

Please note that these recommendations are not valid for all regions. The regional road traffic regulations must be observed. The front attachment matrix may vary as a result of differing climatic conditions or cultivation methods.  
The availability of individual combine harvester models depends on the applicable emissions standard for the country concerned and can therefore vary subject to national regulation.



Front attachments	CORIO CONSPEED 12-row		CORIO CONSPEED 8-row						CORIO CONSPEED 6-row						CORIO 8-row					CORIO 6-row					CORIO 5-row		CORIO 4-row					
	1275 C	1270 C	890	880 FC	875 C	875 FC	870 C	870 FC	690	680 FC	675 C	675 FC	670 C	670 FC	880 FC	875 C	875 FC	870 C	870 FC	680 FC	675 C	675 FC	670 C	670 FC	575 C	570 C	475 C	470 C	475 C <sup>1</sup>	470 C <sup>1</sup>		
Number of rows	12	12	8	8	8	8	8	8	6	6	6	6	6	6	8	8	8	8	8	6	6	6	6	6	5	5	4	4	4	4		
Row width	cm	75	70	90	80	75	75	70	70	90	80	75	75	70	70	80	75	75	70	70	80	75	75	70	70	75	70	75	70	75	70	
Transport position – rigid		●	●	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	
Transport position – folding		–	–	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–
Horizontal chopper		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Working width	m	9.78	8.63	7.17	6.53	6.18	6.18	5.83	5.83	5.37	4.93	4.68	4.68	4.43	4.43	6.53	6.18	6.18	5.83	5.83	4.93	4.68	4.68	4.43	4.43	3.93	3.73	3.18	3.03	3.18	3.03	
Transport width	m	9.78	8.63	7.17	3.35	6.18	3.00	5.83	3.00	5.37	3.35	4.68	3.00	4.43	3.00	3.35	6.18	3.00	5.83	3.00	3.35	4.68	3.00	4.43	3.00	3.93	3.73	3.18	3.03	3.18	3.03	
Stubble breaker		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
MONTANA mounting kit <sup>2</sup>		–	–	–	○	○	○	○	○	–	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Sunflower kit		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Hood extensions		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Laid maize augers		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Shear bar kit		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sprocket for intake auger speed increase		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Electrohydraulic snapping plate adjustment		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intake auger loss protection		●	●	●	●	●	●	●	●	●	●	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Road transport protection incl. lighting and safety bar		–	–	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–	●	–
Support for trailer		○	○	○	–	○	–	○	–	○	–	○	–	○	–	○	–	○	–	○	–	○	–	○	–	○	○	○	○	○	○	○
Weight	kg	3820	3700	2750	2990	2590	2910	2510	2855	2150	2355	2030	2295	2030	2295	3110	2710	3030	2630	2950	2445	2120	2385	2120	2385	1770	1770	1475	1475	1460	1460	
<b>Automated cutterbar control</b>																																
AUTO CONTOUR		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AUTO PILOT		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	

<sup>1</sup> For DOMINATOR 130 only

<sup>2</sup> Suitable for LEXION 760 / 750 and 630 MONTANA, not suitable for LEXION 670 MONTANA